

# MFC & MFM(KC-2700)

## Delivery Performance Table



- ICH Hwaseong Plant (2 units)**, N2 Gas, 1/4", 0~500 SCCM, 25°C, 0.1 Bar, DC24V, RS-485
- Tanzania, Africa Village**, School Gas Stoves (15 units), Biogas, 1/2", 3~30 NL/min, 20°C, 1~7 Bar, DC24V, RS-485
- Meteorological Research Institute (1 unit)**, Air 1/2", 2~20 LPM, 20°C, 2~3 Bar
- HNE (1 unit)** LPG, 1/2", 3~30 LPM, 20°C, 1~7 Bar
- Korea Water Resources Corporation (1 unit)** Biogas, , 3/4", 300mmAq, 50 LPM
- Seoul National University (3 units)** NH3, H2, 1/4", 0~5 CCM, 20°C 3 Bar
- Agency for Defense Development Hydrogen Fuel Cell Research Institute (2 units)**, 1/2"-340 LPM, 3/4"-1000 LPM, Amb, 3 Bar
- Kyungpook National University (4 units)**, Air, 1/2", 2~20 LPM, 20°C, 2~3 Bar
- Kyungpook National University (2 units)**, Air, 1/4", 0~50 CCM, 20°C, 30 psi
- Samsung Electronics (1 unit)**, N2, 1/4", 2~20 LPM, 20°C, 2~3 Bar
- Agency for Defense Development (Changwon 1 unit)**, 3/8", 0~5 CCM, 20°C, 3 Bar
- Samsung Electronics (1 unit)**, N2, 1/2", 2~80 LPM, 20°C, 22 Bar
- Westek (1 unit)**, Air, 1/4", 20,000 CCM, -9 kPa Amb
- Hyundai Powertech (40 units)**, LNG, 3/8", 6 LPM, 10 LPM, 20 LPM, 25 LPM
- Hyundai Motor Dangjin Research Center (2 units)**, LNG, 3/4", 300 LPM, 20°C, 0.1 Bar
- POSCO Pohang (2 units)**, H2, 3/4", 0~1200 LPM, 0~240 LPM
- Doosan Engineering & Construction (1 unit)**, Air, 1/2", 0~200 LPM, 20°C, 300 mmAq
- Tenova Korea (4 units)**, N2, 1/2", 0~30 LPM, 3 Bar, 20°C
- Tenova Korea (6 units)**, N2, 1/2", 0~50 LPM 0.2 Bar, 20°
- CHyundai Powertech (1 unit)**, LNG, 3/8", 0~30 LPM, 300 mmAq, 20°C
- Dongbu Steel Pohang (4 units)**, N2, Ar, 1/2", 0~500 LPM, 20°C, 7 Bar
- Kogas Samcheok (1 unit)**, NG, 1/2", 0~420 LPM, 20°C, 0.698 Mbar
- Kogas Tongyeong (2 units)**, NG, 1/2", 0~420 LPM, 20°C, 0.698 MBarKorea
- NSK Cheonan/Dongwoo HTS (14 units)**, RX-20 Nm<sup>3</sup>/h, LNG-20 LPM, NH<sub>3</sub>-10 LPM, 300 mmAq, Ammonium
- Dongjin Semichem (5 units)**, N2, 3/4" - 200 LPM 1"-600LPM,

**Bearing Art Yeongju (5 units),** LPG, 3/8", 0-20LPM, 300mmAq, Amb

**Hyundai Motor Ulsan (4 units),** N2, 1/2", 0-300LPM, Amb, 0.1Bar, 200LPM, 50LPM

**KCC Daejuk (2 units),** NG, 1/2", LPG, Amb

**Jinro Fermentation (2 units),** O3, 1/2", 100LPM

**Shinhwa ENG (5 units),** LNG, 1/2", 0-30LPM, Amb

**Daechang Co., Ltd. (3 units),** 1/2", N2, 0-200LPM, 3/8", LPG, 0-15LPM

**Coatech (2 units)** NH3, 1/2", 0~30LPM, 300mmAq, Amb

**KC Innovation (3 units),** H2, 1/4", (300L/h, 250L/h, 120L/h, 0.3Mpa)Samsung

**Electronics Plasma (1 unit),** H2, 3/8", 0~400LPM, 6Bar, Amb

**Ilsan Industrial Complex Chilseo Ethanol Plant (2 units),** Air, 1/2", 0~100LPM, 1Bar

**Namdong Industrial Complex Yeonwoo (2 units),** Air, 0~600LPM, Amb, 10Bar

**Suwon Environmental Business Office (1 unit),** CO2, 1/2", 80kg/h, Amb

**HRS Pyeongtaek (3 units),** N2, 1/2", 0~500LPM, Amb

**NSK Korea Cheonan Plant & Bearing Art Yeongju Plant (16 units),** LPG 3/8"

**NSK Korea Changwon Plant (4 units),** N2, 32A, 0-20 Nm3/h, 0-35 Nm3/h, LPG, 32A, 0-150 NL/h

**Kumho Petrochemical Ulsan Plant (1 unit),** LNG, NPT3/8", 0.2-2 Nm3/h, 0.8 BAR & 30°C

The above delivery performance details are true and accurate.

2025.11.12

(주)골든룰



[www.goldenrules.co.kr](http://www.goldenrules.co.kr)

기체 & 액체 & 스팀용 질량유량계 & 계측기  
전문 제조

전국 대리점

*Certified in accordance with*

**KC Q ISO 9001 : 2015**

**KC Q ISO 14001 : 2015**

 **(주)골든룰**